

ezCinema Series

- Ultra Portable Projection Screen
- Portable Floor Pull Up Screen


FEATURES & BENEFITS

- Easy to transport and set up for traveling presentations or the "Home Theater in A Box"
- Features a simple telescoping support mechanism to adjust screen height
- MaxWhite screen material is durable and easy to clean
- Wide projection viewing angle with 160° diffusion uniformity
- Built-in carrying handle for enhanced mobility
- Rugged aluminum casing protects the screen
- Includes 3/4" black top/side masking with adjustable bottom rise masking
- Available in different size and aspect ratios
- 2-Year manufacturer's premium replacement warranty
- Includes nylon carrying case with shoulder strap on models up to 100" diag.



Elite's ezCinema Series is an Ultra-Portable screen that sets up quickly for residential or commercial presentations. Its Simple Telescoping Hardware Mechanism (STHM) provides an easy operation with variable height settings. Traveling Bag with shoulder strap is included for extra protection in transportation and screen storage.





MaxWhite Screen Material

The most versatile screen surface for front projection. This material provides unlimited viewing angles and perfect uniformity while giving precise color reproduction with black and white contrast. Screen Surface is durable for daily use, is mildew resistant and can be washed with mild soap and water.



MaxWhite Coating
w/ Pattern Texture

Internal
Textured Material

Black Soft Vinyl
(Blocks Light Penetration)

PVC/Woven Screen Material, Multi-Layer, Cross-Array Layout, Coated with Matte White Optical Material that is Mildew Resistant.

ezCinema Series, Screens pull up from case and attach to an adjustable telescoping bar with variable height settings with a keystone adjustor. Solid rotating floor supports provide added stability.



Details of the telescope bracket hook support and variable height setting

Self-contained light weight Aluminum Casing with telescoping bar and travel case allows this screen to be easily transported, set up and taken down.





Begin your Presentation as easy as **1-2-3**

ezCinema Series: Floor Stand Telescoping Pull Up Front Projector Screen

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Case Color
F60NWV	60" (4:3)	36.0	48.0	91.4	121.9	Yes	13.7	17.9	6.2	8.1	59"x6.5"x6.75"	1.1	MaxWhite	Black
F72NWV	72" (4:3)	43.2	57.6	109.7	146.3	Yes	15.1	20.2	6.9	9.1	68.9"x7"x6.5"	1.1	MaxWhite	Black
F84NWV	84" (4:3)	50.4	67.2	128.0	170.7	Yes	17.1	22.6	7.7	10.2	78.15"x7"x6.5"	1.1	MaxWhite	Black
F100NWV	100" (4:3)	60.0	80.0	152.4	203.2	Yes	19.7	26.3	8.9	11.9	91.3"x7"x6.5"	1.1	MaxWhite	Black
F120NWV	120" (4:3)	72.0	96.0	182.9	243.8	No	34.3	40.1	15.6	18.2	108"x7.6"x7.4"	1.1	MaxWhite	Black
F135NWV	135" (4:3)	81.0	108.0	205.7	274.3	No	40.0	52.0	17.6	20.3	119.8"x7.6"x8"	1.1	MaxWhite	Black
F150NWV	150" (4:3)	90.0	120.0	228.6	304.8	No	42.2	49.5	19.1	22.5	132"x7.6"x8"	1.1	MaxWhite	Black
F80NWH	80" (16:9)	39.4	70.0	100.1	177.8	Yes	16.9	22.7	7.7	10.3	80.91"x7"x6.5"	1.1	MaxWhite	Black
F84NWH	84" (16:9)	41.2	73.2	104.6	185.9	Yes	19.1	25.0	8.7	11.3	83.9"x7"x6.5"	1.1	MaxWhite	Black
F100NWH	100" (16:9)	49.0	87.2	124.5	221.5	Yes	20.1	26.6	9.1	12.1	98.07"x7"x6.5"	1.1	MaxWhite	Black
F120NWH	120" (16:9)	59.1	105.0	150.1	266.7	No	36.0	42.0	16.3	19.1	116.7"x7.6"x7.4"	1.1	MaxWhite	Black
F135NWH	135" (16:9)	66.2	117.7	168.1	299.0	No	40.5	48.5	18.4	21.7	130"x7.6"x8"	1.1	MaxWhite	Black
F150NWH	150" (16:9)	73.6	130.7	186.9	332.0	No	44.5	53.1	20.2	24.1	142.7"x7.6"x8"	1.1	MaxWhite	Black



Black Backed Screen Material blocks light penetration for a sharper image quality.

ezCinema Series Dimension Table


Model	Screen Diag. & Aspect Ratio	Case Length (A)	Screen Width (A1)	View Width (A2)	Upper Scroll Bar Length (A3)	Screen Height (B1)	View Height (B2)	Overall Height (B)	Case Height (D)	Case Width (C)
F60NWV	60" (4:3)	1410.0	1295.0	1219.0	1379.0	1854.2	914.4	1990.2	95.0	118.0
F72NWV	72" (4:3)	1661.0	1539.0	1463.0	1631.0	1808.5	1097.3	1944.5	95.0	118.0
F84NWV	84" (4:3)	1891.0	1783.0	1707.0	1861.0	1966.0	1280.2	2102.0	95.0	118.0
F100NWV	100" (4:3)	2224.0	2108.0	2032.0	2194.0	2032.0	1524.0	2168.0	95.0	118.0
F120NWV	120" (4:3)	2629.0	2514.0	2438.0	2599.0	2413.0	1828.8	2557.0	100.0	126.0
F135NWV	135" (4:3)	2925.0	2819.0	2743.0	2895.0	2641.6	2057.4	2785.6	100.0	126.0
F150NWV	150" (4:3)	3235.0	3124.0	3048.0	3205.0	2870.2	2286.0	3014.2	100.0	126.0
F80NWH	80" (16:9)	1958.0	1847.0	1771.0	1928.0	1884.7	995.7	2020.7	95.0	118.0
F84NWH	84" (16:9)	2041.0	1936.0	1860.0	2011.0	1935.5	1046.5	2071.5	95.0	118.0
F100NWH	100" (16:9)	2401.0	2290.0	2214.0	2371.0	1955.8	1244.6	2091.8	95.0	118.0
F120NWH	120" (16:9)	2845.0	2733.0	2657.0	2815.0	2077.7	1493.5	2221.7	100.0	126.0
F135NWH	135" (16:9)	3177.0	3065.0	2989.0	3147.0	2265.7	1681.5	2409.7	100.0	126.0
F150NWH	150" (16:9)	3510.0	3397.0	3321.0	3480.0	2451.1	1866.9	2595.1	100.0	126.0

Unit: mm

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error $\pm 1"$

Model	Screen Diag. & Aspect Ratio	Case Length (A)	Screen Width (A1)	View Width (A2)	Upper Scroll Bar Length (A3)	Screen Height (B1)	View Height (B2)	Overall Height (B)	Case Height (D)	Case Width (C)
F60NWV	60" (4:3)	55.5	51.0	48.0	54.3	73.0	36.0	78.4	3.7	4.6
F72NWV	72" (4:3)	65.4	60.6	57.6	64.2	71.2	43.2	76.6	3.7	4.6
F84NWV	84" (4:3)	74.4	70.2	67.2	73.3	77.4	50.4	82.8	3.7	4.6
F100NWV	100" (4:3)	87.6	83.0	80.0	86.4	80.0	60.0	85.4	3.7	4.6
F120NWV	120" (4:3)	103.5	99.0	96.0	102.3	95.0	72.0	100.7	3.9	5.0
F135NWV	135" (4:3)	115.2	111.0	108.0	114.0	104.0	81.0	109.7	3.9	5.0
F150NWV	150" (4:3)	127.4	123.0	120.0	126.2	113.0	90.0	118.7	3.9	5.0
F80NWH	80" (16:9)	77.1	72.7	69.7	75.9	74.2	39.2	79.6	3.7	4.6
F84NWH	84" (16:9)	80.4	76.2	73.2	79.2	76.2	41.2	81.6	3.7	4.6
F100NWH	100" (16:9)	94.5	90.2	87.2	93.3	77.0	49.0	82.4	3.7	4.6
F120NWH	120" (16:9)	112.0	107.6	104.6	110.8	81.8	58.8	87.5	3.9	5.0
F135NWH	135" (16:9)	125.1	120.7	117.7	123.9	89.2	66.2	94.9	3.9	5.0
F150NWH	150" (16:9)	138.2	133.7	130.7	137.0	96.5	73.5	102.2	3.9	5.0

Unit: inch

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error $\pm 1"$ 

ezCinema Plus Series


- Deluxe Grade Floor Screen
- Portable Floor Up Projection Screen

FEATURES & BENEFITS


- Easy to transport and set up for traveling presentations or the "Home Theater in A Box"
- Self-standing "Pull Up & Project" cross spring mechanism
- MaxWhite screen material is durable and easy to clean
- Wide projection viewing angle
- Built-in carrying handle for enhanced mobility
- Rugged aluminum casing protects the screen
- Includes 3/4" black top/side masking with adjustable bottom rise masking
- Available in different sizes and aspect ratios
- Includes nylon carrying case with shoulder strap
- 2-Year manufacturer's premium replacement warranty



Elite's ezCinema Plus is the deluxe version of our popular ezCinema floor pull up screen. Instead of a support rod, it utilizes its unique "Scissor" Cross Spring Mechanical Hardware (CSMH) design that allows the operator to simply pull up the screen to its desired position and leave it there. Standard Traveling Shoulder bag for additional protection is included.



MaxWhite and SilverGrey material are the most versatile and uniform screen surface types in front projection. These materials provide unlimited viewing angles and perfect uniformity while giving precise definition and color reproduction. The grey material provides additional black level contrast with a minimal effect on image brightness. Screen Surfaces are durable for daily use and washable with mild soap and water.



Available in full 1:1 format for OHP (Over Head Projector) or Standard 4:3 NTSC commercial or Home Cinema movies in 16:9 HDTV.



ezCinema Plus Series: Floor Stand Telescoping Pull Up Front Projector Screen

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Case Color
F95XWS1	95" (1:1)	67.0	67.0	170.2	170.2	Yes	20.0	28.4	9.1	12.9	80.2"x7.1"x6.3"	1.1	MaxWhite	Black
F60XWV1	60" (4:3)	36.0	48.0	91.4	121.9	Yes	15.0	22.0	6.8	10.0	66"x6"x7"	1.1	MaxWhite	Black
F84XWV1	84" (4:3)	50.4	67.2	128.0	170.7	Yes	21.1	26.5	9.6	12.0	78.39"x7"x6.5"	1.1	MaxWhite	Black
F100XWV1	100" (4:3)	60.0	80.0	152.4	203.2	Yes	25.0	32.6	11.3	14.8	92.2"x7.1"x6.3"	1.1	MaxWhite	Black
F74XCH1	74" (16:9)	36.0	64.0	91.4	162.6	Yes	14.0	20.0	6.4	9.1	75"x6"x7"	1.0	SilverGrey	Black
F74XWH1	74" (16:9)	36.0	64.0	91.4	162.6	Yes	14.0	20.0	6.4	9.1	75"x6"x7"	1.1	MaxWhite	Black
F84XWH1	84" (16:9)	41.2	73.2	104.6	185.9	Yes	22.3	28.4	10.1	12.9	84"x6.5"x7"	1.1	MaxWhite	Black
F100XWH1	100" (16:9)	49.0	87.2	124.5	221.5	Yes	24.3	27.3	9.7	12.4	98"x7"x7"	1.1	MaxWhite	Black

ezCinema Plus Series Dimension Table

Model	Screen Diag. & Aspect Ratio	Case Length (A)	Screen Width (A1)	View Width (A2)	Upper Scroll Bar Length (A3)	Screen Height (B1)	View Height (B2)	Overall Height (B)	Case Height (D)	Case Width (C)
F60XWV1	60" (4:3)	1410.0	1269.0	1219.0	1380.0	1892.3	914.4	2028.3	95.0	118.0
F84XWV1	84" (4:3)	1891.0	1757.0	1707.0	1861.0	1966.0	1280.2	2102.0	95.0	118.0
F100XWV1	100" (4:3)	2224.0	2082.0	2032.0	2194.0	2311.4	1524.0	2447.4	95.0	118.0
F74XWH1	74" (16:9)	1829.0	1688.0	1638.0	1799.0	1833.9	919.5	1969.9	95.0	118.0
F84XWH1	74" (16:9)	2041.0	1910.0	1860.0	2011.0	1935.5	995.7	2071.5	95.0	118.0
F100XWH1	84" (16:9)	2399.0	2264.0	2214.0	2369.0	1955.8	1244.6	2091.8	95.0	118.0
F95XWS1	95" (1:1)	1891.0	1756.0	1706.0	1861.0	2367.3	1706.9	2503.3	95.0	118.0


Unit: mm

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"

Model	Screen Diag. & Aspect Ratio	Case Length (A)	Screen Width (A1)	View Width (A2)	Upper Scroll Bar Length (A3)	Screen Height (B1)	View Height (B2)	Overall Height (B)	Case Height (D)	Case Width (C)
F60XWV1	60" (4:3)	55.5	50.0	48.0	54.3	74.5	36.0	79.9	3.7	4.6
F84XWV1	84" (4:3)	74.4	69.2	67.2	73.3	77.4	50.4	82.8	3.7	4.6
F100XWV1	100" (4:3)	87.6	82.0	80.0	86.4	91.0	60.0	96.4	3.7	4.6
F74XWH1	74" (16:9)	72.0	66.5	64.5	70.8	72.2	36.2	77.6	3.7	4.6
F84XWH1	74" (16:9)	80.4	75.2	73.2	79.2	76.2	39.2	81.6	3.7	4.6
F100XWH1	84" (16:9)	94.4	89.1	87.2	93.3	77.0	49.0	82.4	3.7	4.6
F95XWS1	95" (1:1)	74.4	69.1	67.2	73.3	93.2	67.2	98.6	3.7	4.6

Unit: inch

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"



QuickStand Series

- Portable Presentation Screen for ProAV
- QuickStand Portable Presentation Screen

FEATURES & BENEFITS

- Strong, lightweight and portable folding aluminum fixed-frame screen for multi-media conference/classroom presentations
- Standard Matte White (Gain 1.1) screen material
- Optional rear projection screen material (Gain 2.2)
- Sealed edge detachable frame design with material snap button attachments and corner pull cords to extend product life with prolonged use
- Easy setup and teardown design with no tools required
- Adjustable frame height can be raised or lowered at 8" increments for various presentations
- Lightweight and durable aluminum traveling case is wheeled for easy transport, storage and shipping for tradeshow and traveling presentations
- 150" plus-sized models come with AT legs for additional support while larger 180" & 200" models include SAT heavy support buttresses as well
- Available in 72" to 200" diagonal sizes in 4:3 or 16:9 aspect ratio
- Drape kit models also available
- Two year Manufacturer's parts & labor warranty



Standard AT Legs come with 150" and larger models. Additional SAT buttresses for 180" and 200" also included.



Locking mechanism on the metal storage case ensures safety during the storage and shipping



Light weight and durable aluminum traveling case is wheeled for easy transport, storage and shipping



Patented aluminum frame connections ensure structural integrity with constant use.



Strong Corner-Guard provides additional protection during transport and storage



Choose either CineWhite Front Projection or Wraith Veil Rear Projection Material

See what the Experts said about CineWhite & CineGrey Material

"I found that it had a decent reflectivity to it, but didn't suffer too much from hot spotting (which obviously you would expect from a lower gain screen), nor did it have any sparkles or other anomalies to it. Elite certainly has a good idea here. Good performance, good build quality, and good features in a screen, for a lower price point.

AV Science, NY



By comparison, the Firehawk® screen tends to reject ambient light from the side, a little better than the ezFrame by Elite. (All's fair - an equivalent Firehawk fixed wall projector screen is much over double the price. Color was virtually identical, but yellows did appear just a touch stronger than on the Firehawk®. This was very close and not an issue. Overall color was very good. with a 100" 16:9 Elite ezFrame screen selling for about half of a Da-Lite Cinema Contour with ProTrim (their fancy flourish border), and barely a 1/3 of a Stewart Luxus Deluxe, it allows home theater people to own an attractive looking fixed wall screen, with good performance, at a price that simply isn't available from the larger established brands.

Art Feierman / Projectorreviews.com

QuickStand Series: Folding Screen, includes Aluminum Traveling Wheel Case

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Drape Kit (Top/Sides/Bottom)
Q72V	72" (4:3)	43.5	58.0	109.9	147.3	Yes	23.2	57.5	10.5	26.1	42.3"x14.6"x13.5"	1.1	CineWhite	No
Q84V	84" (4:3)	50.3	67.0	127.0	170.2	Yes	59.0	69.3	26.8	31.4	53"x14.6"x13.5"	1.1	CineWhite	No
Q100V	100" (4:3)	60.0	80.0	152.4	203.2	Yes	62.3	74.8	28.3	33.9	53"x14.6"x13.5"	1.1	CineWhite	No
Q120V	120" (4:3)	72.0	96.0	182.9	243.8	Yes	66.1	75.0	30.0	34.0	53"x14.6"x13.5"	1.1	CineWhite	No
Q150V	150" (4:3)	90.0	120.0	228.6	304.8	Yes	89.3	101.4	40.5	46.0	62.5"x15.5"x15"	1.1	CineWhite	No
Q180V	180" (4:3)	108.0	144.0	274.3	365.8	Yes	99.2	112.4	45.0	51.0	72.4"x14.3"x14.3"	1.1	CineWhite	No
Q200V	200" (4:3)	120.0	160.0	304.8	406.4	Yes	137.8	149.9	62.5	68.0	51.2"x14.3"x18.3"	1.1	CineWhite	No
Q84VD	84" (4:3)	50.0	67.0	127.0	170.2	Yes	76.7	93.7	34.8	42.5	50.4"x17.9"x12.2"	1.1	CineWhite	Included
Q100VD	100" (4:3)	60.0	80.0	152.4	203.2	Yes	89.3	109.1	40.5	49.5	50.4"x17.9"x12.2"	1.1	CineWhite	Included
Q120VD	120" (4:3)	72.0	96.0	182.9	243.8	Yes	96.6	106.9	43.8	48.5	51.6"x18.7"x14.2"	1.1	CineWhite	Included
Q150VD	150" (4:3)	90.0	120.0	228.6	304.8	Yes	77.0	86.9	34.9	39.4	62.2"x18.7"x14.2"	1.1	CineWhite	Included
Q180VD	180" (4:3)	108.0	144.0	274.3	365.8	Yes	95.0	105.0	43.1	47.6	72.2"x20"x14.2"	1.1	CineWhite	Included
Q200VD	200" (4:3)	120.0	160.0	304.8	406.4	Yes	108.2	120.9	49.1	54.8	50.8"x18.5"x18"	1.1	CineWhite	Included
Q100HD	100" (16:9)	49.0	87.2	124.5	221.5	Yes	84.9	95.9	38.5	43.5	54.3"x18"x12.2"	1.1	CineWhite	Included
Q120HD	120" (16:9)	58.9	104.6	149.6	265.7	Yes	92.6	104.7	42.0	47.5	47"x18.7"x14.2"	1.1	CineWhite	Included
Q150HD	150" (16:9)	73.6	130.7	186.9	332.0	Yes	116.8	130.0	53.0	59.0	55.5"x18.7"x14.2"	1.1	CineWhite	Included
Q180HD	180" (16:9)	88.3	156.9	224.3	398.5	Yes	130.0	145.5	59.0	66.0	64"x18.7"x20"	1.1	CineWhite	Included
Q200HD	200" (16:9)	98.0	174.0	248.9	442.0	Yes	143.3	154.3	65.0	70.0	72"x18.7"x20"	1.1	CineWhite	Included



QuickStand Folding Screen 100" (Q100VD) shown with Standard Drape Kit

QuickStand Series Dimension Table




Model	Screen Diag. & Aspect Ratio	View Width (A)	View Height (B)	Left/Right Black Masking (A1)	Top/Bottom Black Masking (B1)	Overall Frame Width (A2)	Overall Frame Height (B2)	Overall Height (B3)	Stand Width (C)	Storage Case Dimensions		
										Height (D)	Length (D1)	Width (D2)
Q72V	72" (4:3)	1463.0	1097.3	76.0	76.0	1616.0	1250.0	1687.0	1040.0	225.0	980.0	235.0
Q84V	84" (4:3)	1707.0	1280.2	76.0	76.0	1862.0	1435.0	2300.0	1040.0	225.0	1160.0	235.0
Q100V	100" (4:3)	2032.0	1524.0	76.0	76.0	2187.0	1680.0	2800.0	1040.0	225.0	1160.0	235.0
Q120V	120" (4:3)	2438.4	1828.8	76.0	76.0	2584.0	1984.0	3300.0	1040.0	245.0	1190.0	285.0
Q150V	150" (4:3)	3048.0	2286.0	76.0	76.0	3203.0	2440.0	3500.0	1040.0	280.0	1460.0	285.0
Q180V	180" (4:3)	3657.6	2743.2	76.0	76.0	3810.0	2900.0	4000.0	1040.0	280.0	1715.0	285.0
Q200V	200" (4:3)	4064.0	3048.0	76.0	76.0	4220.0	3203.0	4300.0	1040.0	280.0	1170.0	380.0
Q72H	72" (16:9)	1594.0	897.0	76.0	76.0	1746.0	1049.0	2250.0	1040.0	225.0	1130.0	235.0
Q84H	84" (16:9)	1860.0	1046.0	76.0	76.0	2012.0	1198.0	2400.0	1040.0	225.0	1130.0	235.0
Q100H	100" (16:9)	2214.0	1245.0	76.0	76.0	2366.0	1397.0	2500.0	1040.0	225.0	1260.0	235.0
Q120H	120" (16:9)	2657.0	1494.0	76.0	76.0	2809.0	1646.0	3000.0	1040.0	245.0	1060.0	245.0
Q150H	150" (16:9)	3321.0	1868.0	76.0	76.0	3473.0	2020.0	3500.0	1040.0	280.0	1290.0	280.0
Q180H	180" (16:9)	3985.0	2242.0	76.0	76.0	4137.0	2394.0	3800.0	1040.0	280.0	1500.0	280.0
Q200H	200" (16:9)	4428.0	2491.0	76.0	76.0	4580.0	2643.0	4000.0	1040.0	280.0	1660.0	380.0

Unit: inch




*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error $\pm 1"$

Model	Screen Diag. & Aspect Ratio	View Width (A)	View Height (B)	Left/Right Black Masking (A1)	Top/Bottom Black Masking (B1)	Overall Frame Width (A2)	Overall Frame Height (B2)	Overall Height (B3)	Stand Width (C)	Storage Case Dimensions		
										Height (D)	Length (D1)	Width (D2)
Q72V	72" (4:3)	57.6	43.2	3.0	3.0	63.6	49.2	66.4	40.9	8.9	38.6	9.3
Q84V	84" (4:3)	67.2	50.4	3.0	3.0	73.3	56.5	90.6	40.9	8.9	45.7	9.3
Q100V	100" (4:3)	80.0	60.0	3.0	3.0	86.1	66.1	110.2	40.9	8.9	45.7	9.3
Q120V	120" (4:3)	96.0	72.0	3.0	3.0	101.7	78.1	129.9	40.9	9.6	46.9	11.2
Q150V	150" (4:3)	120.0	90.0	3.0	3.0	126.1	96.1	137.8	40.9	11.0	57.5	11.2
Q180V	180" (4:3)	144.0	108.0	3.0	3.0	150.0	114.2	157.5	40.9	11.0	67.5	11.2
Q200V	200" (4:3)	160.0	120.0	3.0	3.0	166.1	126.1	169.3	40.9	11.0	46.1	15.0
Q72H	72" (16:9)	62.8	35.3	3.0	3.0	68.7	41.3	88.6	40.9	8.9	44.5	9.3
Q84H	84" (16:9)	73.2	41.2	3.0	3.0	79.2	47.2	94.5	40.9	8.9	44.5	9.3
Q100H	100" (16:9)	87.2	49.0	3.0	3.0	93.1	55.0	98.4	40.9	8.9	49.6	9.3
Q120H	120" (16:9)	104.6	58.8	3.0	3.0	110.6	64.8	118.1	40.9	9.6	41.7	9.6
Q150H	150" (16:9)	130.7	73.5	3.0	3.0	136.7	79.5	137.8	40.9	11.0	50.8	11.0
Q180H	180" (16:9)	156.9	88.3	3.0	3.0	162.9	94.3	149.6	40.9	11.0	59.1	11.0
Q200H	200" (16:9)	174.3	98.1	3.0	3.0	180.3	104.1	157.5	40.9	11.0	65.4	15.0

Unit: inch

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error $\pm 1"$ 

Frame section



QuickStand Drape Series Dimension Table






Model	Screen Diag. & Aspect Ratio	View Width (A)	View Height (B)	Left/Right Black Masking (A1)	Top/Bottom Black Masking (B1)	Overall Width with Drape (A2)	A3	Max Height (B3)	Min. Height (B4)	Stand Width (C)	Storage Case Dimensions		
											Height (D)	Length (D1)	Width (D2)
Q84VD	84" (4:3)	1707.0	1280.2	76.0	76.0	1862.0	690.0	2680.0	1785.0	1040.0	1160.0	235.0	225.0
Q100VD	100" (4:3)	2032.0	1524.0	76.0	76.0	2187.0	690.0	3050.0	2250.0	1040.0	1160.0	235.0	225.0
Q120VD	120" (4:3)	2438.4	1828.8	76.0	76.0	2584.0	690.0	3800.0	2700.0	1040.0	1190.0	285.0	245.0
Q150VD	150" (4:3)	3048.0	2286.0	76.0	76.0	3203.0	690.0	4200.0	3265.0	1040.0	1460.0	285.0	280.0
Q180VD	180" (4:3)	3657.6	2743.2	76.0	76.0	3810.0	690.0	4450.0	3700.0	1040.0	1715.0	285.0	280.0
Q200VD	200" (4:3)	4064.0	3048.0	76.0	76.0	4220.0	690.0	4650.0	4060.0	1040.0	1170.0	380.0	280.0
Q100HD	100" (16:9)	2214.0	1245.0	76.0	76.0	2366.0	690.0	2500.0	1880.0	1040.0	1260.0	235.0	225.0
Q120HD	120" (16:9)	2657.0	1494.0	76.0	76.0	2809.0	690.0	3000.0	2820.0	1040.0	1060.0	245.0	245.0
Q150HD	150" (16:9)	3321.0	1868.0	76.0	76.0	3473.0	690.0	3500.0	3150.0	1040.0	1290.0	280.0	280.0
Q180HD	180" (16:9)	3985.0	2242.0	76.0	76.0	4137.0	690.0	3800.0	3150.0	1040.0	1500.0	280.0	280.0
Q200HD	200" (16:9)	4428.0	2491.0	76.0	76.0	4580.0	690.0	4000.0	3150.0	1040.0	1660.0	380.0	280.0

Unit: mm

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error $\pm 1"$

Model	Screen Diag. & Aspect Ratio	View Width (A)	View Height (B)	Left/Right Black Masking (A1)	Top/Bottom Black Masking (B1)	Overall Width with Drape (A2)	A3	Max Height (B3)	Min. Height (B4)	Stand Width (C)	Storage Case Dimensions		
											Height (D)	Length (D1)	Width (D2)
Q84VD	84" (4:3)	67.2	50.4	3.0	3.0	73.3	27.2	105.5	70.3	40.9	45.7	9.3	8.9
Q100VD	100" (4:3)	80.0	60.0	3.0	3.0	86.1	27.2	120.1	88.6	40.9	45.7	9.3	8.9
Q120VD	120" (4:3)	96.0	72.0	3.0	3.0	101.7	27.2	149.6	106.3	40.9	46.9	11.2	9.6
Q150VD	150" (4:3)	120.0	90.0	3.0	3.0	126.1	27.2	165.4	128.5	40.9	57.5	11.2	11.0
Q180VD	180" (4:3)	144.0	108.0	3.0	3.0	150.0	27.2	175.2	145.7	40.9	67.5	11.2	11.0
Q200VD	200" (4:3)	160.0	120.0	3.0	3.0	166.1	27.2	183.1	159.8	40.9	46.1	15.0	11.0
Q100HD	100" (16:9)	87.2	49.0	3.0	3.0	93.1	27.2	98.4	74.0	40.9	49.6	9.3	8.9
Q120HD	120" (16:9)	104.6	58.8	3.0	3.0	110.6	27.2	118.1	111.0	40.9	41.7	9.6	9.6
Q150HD	150" (16:9)	130.7	73.5	3.0	3.0	136.7	27.2	137.8	124.0	40.9	50.8	11.0	11.0
Q180HD	180" (16:9)	156.9	88.3	3.0	3.0	162.9	27.2	149.6	124.0	40.9	59.1	11.0	11.0
Q200HD	200" (16:9)	174.3	98.1	3.0	3.0	180.3	27.2	157.5	124.0	40.9	65.4	15.0	11.0

Unit: inch

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error $\pm 1"$ 

Tripod Series

- Tripod Portable Pull Up Projection Screen



Ideal for indoor and outdoor presentations, this proven and reliable tripod portable projection screen combines precision with the elegance of a traditional design. Its rugged construction will withstand the rigors of daily usage while its adjustable locking ring provides ease in its adjustable height settings.

FEATURES & BENEFITS

- Standard keystone eliminator
- Heavy duty casing to withstand daily usage
- Auto-locking mechanism controls height adjustment
- Standard 4-side black masking border
- MaxWhite 1.1 Gain screen material is durable and easy to clean
- 160 degree wide viewing angle for multi-purpose applications
- Available in Black or White metal casings
- Optional fabric carrying case

Tripod Series: Tripod/Portable (1:1) Pull Up Projector Screen

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Case Color
T71NWS1	71" (1:1)	50.0	50.0	127.0	127.0	Yes	12.4	15.5	5.6	7.1	60"x5.4"x7.2"	1.1	MaxWhite	White
T71UWS1	71" (1:1)	50.0	50.0	127.0	127.0	Yes	12.4	15.5	5.6	7.1	60"x5.4"x7.2"	1.1	MaxWhite	Black
T85NWS1	85" (1:1)	60.0	60.0	152.4	152.4	Yes	14.4	18.0	6.5	8.2	70"x5.4"x7.2"	1.1	MaxWhite	White
T85UWS1	85" (1:1)	60.0	60.0	152.4	152.4	Yes	14.4	18.0	6.5	8.2	70"x5.4"x7.2"	1.1	MaxWhite	Black
T99NWS1	99" (1:1)	70.0	70.0	177.8	177.8	Yes	16.3	20.4	7.4	9.3	80"x5.4"x7.2"	1.1	MaxWhite	White
T99UWS1	99" (1:1)	70.0	70.0	177.8	177.8	Yes	16.3	20.4	7.4	9.3	80"x5.4"x7.2"	1.1	MaxWhite	Black
T113NWS1	113" (1:1)	80.0	80.0	203.2	203.2	Yes	26.8	30.0	12.2	13.6	91.6"x7.5"x4.9"	1.1	MaxWhite	White
T113UWS1	113" (1:1)	80.0	80.0	203.2	203.2	Yes	26.8	30.0	12.2	13.6	91.6"x7.5"x4.9"	1.1	MaxWhite	Black
T119NWS1	119" (1:1)	84.0	84.0	213.4	213.4	Yes	35.2	38.0	16.0	17.2	96"x7.5"x4.9"	1.1	MaxWhite	White
T119UWS1	119" (1:1)	84.0	84.0	213.4	213.4	Yes	35.2	38.0	16.0	17.2	96"x7.5"x4.9"	1.1	MaxWhite	Black
T136NWS1	136" (1:1)	96.0	96.0	243.8	243.8	Yes	41.8	43.0	19.0	19.5	106.3"x7.5"x4.9"	1.1	MaxWhite	White
T136UWS1	136" (1:1)	96.0	96.0	243.8	243.8	Yes	41.8	43.0	19.0	19.5	106.3"x7.5"x4.9"	1.1	MaxWhite	Black

Tripod Series Dimensions Table


Model	Screen Diag. & Aspect Ratio	View Size H x W	Screen Size H x W	Top of Screen at highest level (B1)	Top of Screen at lowest level (B2)	Screen Case at highest point height (C1)	Screen Case at lowest point height (C2)	End Cap Size (D)	Case Length Closed (D2)	Case Width Closed (D3)
T71NWS1	71" (1:1)	1275x1275	1346x1346	2400	1925	905	430	69	1472	150
T71UWS1	71" (1:1)	1275x1275	1346x1346	2400	1925	905	430	69	1472	150
T85NWS1	85" (1:1)	1527x1527	1600x1600	2700	2177	953	430	69	1726	150
T85UWS1	85" (1:1)	1527x1527	1600x1600	2700	2177	953	430	69	1726	150
T99NWS1	99" (1:1)	1778x1778	1854x1854	2900	2428	902	430	69	1980	150
T99UWS1	99" (1:1)	1778x1778	1854x1854	2900	2428	902	430	69	1980	150
T113NWS1	113" (1:1)	2030x2030	2108x2108	3100	2682	848	430	69	2234	150
T113UWS1	113" (1:1)	2030x2030	2108x2108	3100	2682	848	430	69	2234	150
T119NWS1	119" (1:1)	2134x2134	2209x2209	3300	2787	943	430	69	2335	150
T119UWS1	119" (1:1)	2134x2134	2209x2209	3300	2787	943	430	69	2335	150
T136NWS1	136" (1:1)	2443x2443	2514x2514	3700	3093	1037	430	69	2641	150
T136UWS1	136" (1:1)	2443x2443	2514x2514	3700	3093	1037	430	69	2641	150
T84UWV1	84" (4:3)	1280x1707	1397x1778	2400	1930	900	430	69	1906	150
T100UWV1	100" (4:3)	1524x2032	1651x2108	3100	2174	1356	430	69	2234	150
T120NWV	120" (4:3)	1829x2438	1955x2514	3700	2480	1650	430	69	2641	150
T120UWV1	120" (4:3)	1829x2438	1955x2514	3700	2480	1650	430	69	2641	150
T92UWH	92" (16:9)	1146x2037	1270x2108	3100	1796	1734	430	69	2234	150
T100UWH	100" (16:9)	1245x2214	1371x2286	3200	1895	1735	430	69	2417	150
T120UWH	120" (16:9)	1494x2657	1625x2743	3300	2144	1586	430	69	2860	150

Unit: mm

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ± 1 "

Model	Screen Diag. & Aspect Ratio	View Size H x W	Screen Size H x W	Top of Screen at highest level (B1)	Top of Screen at lowest level (B2)	Screen Case at highest point height (C1)	Screen Case at lowest point height (C2)	End Cap Size (D)	Case Length Closed (D2)	Case Width Closed (D3)
T71NWS1	71" (1:1)	50"x50"	53"x53"	94.5	75.8	35.6	16.9	2.7	58.0	5.9
T71UWS1	71" (1:1)	50"x50"	53"x53"	94.5	75.8	35.6	16.9	2.7	58.0	5.9
T85NWS1	85" (1:1)	60"x60"	63"x63"	106.3	85.7	37.5	16.9	2.7	68.0	5.9
T85UWS1	85" (1:1)	60"x60"	63"x63"	106.3	85.7	37.5	16.9	2.7	68.0	5.9
T99NWS1	99" (1:1)	70"x70"	73"x73"	114.2	95.6	35.5	16.9	2.7	78.0	5.9
T99UWS1	99" (1:1)	70"x70"	73"x73"	114.2	95.6	35.5	16.9	2.7	78.0	5.9
T113NWS1	113" (1:1)	80"x80"	83"x83"	122.0	105.6	33.4	16.9	2.7	88.0	5.9
T113UWS1	113" (1:1)	80"x80"	83"x83"	122.0	105.6	33.4	16.9	2.7	88.0	5.9
T119NWS1	119" (1:1)	84"x84"	87"x87"	129.9	109.7	37.1	16.9	2.7	91.9	5.9
T119UWS1	119" (1:1)	84"x84"	87"x87"	129.9	109.7	37.1	16.9	2.7	91.9	5.9
T136NWS1	136" (1:1)	96"x96"	99"x99"	145.7	121.8	40.8	16.9	2.7	104.0	5.9
T136UWS1	136" (1:1)	96"x96"	99"x99"	145.7	121.8	40.8	16.9	2.7	104.0	5.9
T84UWV1	84" (4:3)	50"x67"	55"x70"	94.5	76.0	35.4	16.9	2.7	75.0	5.9
T100UWV1	100" (4:3)	60"x80"	65"x83"	122.0	85.6	53.4	16.9	2.7	88.0	5.9
T120NWV	120" (4:3)	72"x96"	77"x99"	145.7	97.6	65.0	16.9	2.7	104.0	5.9
T120UWV1	120" (4:3)	72"x96"	77"x99"	145.7	97.6	65.0	16.9	2.7	104.0	5.9
T92UWH	92" (16:9)	45"x80"	50"x83"	122.0	70.7	68.3	16.9	2.7	88.0	5.9
T100UWH	100" (16:9)	49"x87"	54"x90"	126.0	74.6	68.3	16.9	2.7	95.2	5.9
T120UWH	120" (16:9)	59"x105"	64"x108"	129.9	84.4	62.4	16.9	2.7	112.6	5.9

Unit: inch

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ± 1 "

Tripod Pro Series

- Portable ProAV/Commercial Front Projection Screen
- Professional Grade Tripod Pull Up Screen



FEATURES & BENEFITS

- Ideal for ProAV / Rental & Staging applications
- Standard built-in keystone eliminator
- Heavy-duty case with velvet velour withstands daily usage
- Auto-locking mechanism controls height adjustment
- Built-in carrying handle for easy transportation
- Rugged construction withstands the rigors of daily usage
- Simple screen adjustment for various height settings
- Complimentary 4-side black masking borders
- MaxWhite 1.1 Gain screen material is durable for every day applications and easy to clean
- 160 degree wide viewing angle for multi-purpose applications
- Available in 1:1 format in diagonal sizes 85", 99", 113" and 119"
- Optional fabric carrying bag available



Tripod Pro Series: Tripod/Portable (1:1) Pull Up Projector Screen Pro Series for Commercial and Rental Applications

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Case Color
T85UWS1-Pro	85" (1:1)	60.0	60.0	152.4	152.4	Yes	14.4	18.0	6.5	8.2	70"x5.4"x7.2"	1.1	MaxWhite	Black
T99UWS1-Pro	99" (1:1)	70.0	70.0	177.8	177.8	Yes	16.3	20.4	7.4	9.3	80"x5.4"x7.2"	1.1	MaxWhite	Black
T113UWS1-Pro	113" (1:1)	80.0	80.0	203.2	203.2	Yes	26.8	30.0	12.2	13.6	91.6"x7.5"x4.9"	1.1	MaxWhite	Black
T119UWS1-Pro	119" (1:1)	84.0	84.0	213.4	213.4	Yes	35.2	38.0	16.0	17.2	96"x7.5"x4.9"	1.1	MaxWhite	Black

Tripod Pro Series Dimension Table


Model	Screen Diag. & Aspect Ratio	View Size H x W	Screen Size H x W (A)	Top of Screen at highest level (B1)	Top of Screen at lowest level (B2)	Screen Case at highest point height (C1)	Screen Case at lowest point height (C2)	End Cap Size (D)	Case Length Closed (D2)	Case Width Closed (D3)
T85UWS1-Pro	85" (1:1)	1527x1527	1600x1600	2700	2177	953	430	69	1726	150
T99UWS1-Pro	99" (1:1)	1778x1778	1854x1854	2900	2428	902	430	69	1980	150
T113UWS1-Pro	113" (1:1)	2030x2030	2108x2108	3100	2682	848	430	69	2234	150
T119UWS1-Pro	119" (1:1)	2134x2134	2209x2209	3300	2787	943	430	69	2335	150

Unit: mm

Model	Screen Diag. & Aspect Ratio	View Size H x W	Screen Size H x W (A)	Top of Screen at highest level (B1)	Top of Screen at lowest level (B2)	Screen Case at highest point height (C1)	Screen Case at lowest point height (C2)	End Cap Size (D)	Case Length Closed (D2)	Case Width Closed (D3)
T85UWS1-Pro	85" (1:1)	60"x60"	63"x63"	106.3	85.7	37.5	16.9	2.7	68.0	5.9
T99UWS1-Pro	99" (1:1)	70"x70"	73"x73"	114.2	95.6	35.5	16.9	2.7	78.0	5.9
T113UWS1-Pro	113" (1:1)	80"x80"	83"x83"	122.0	105.6	33.4	16.9	2.7	88.0	5.9
T119UWS1-Pro	119" (1:1)	84"x84"	87"x87"	129.9	109.7	37.1	16.9	2.7	91.9	5.9

Unit: inch

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"



MicroFlip Series

- Portable 7.0 High Gain Front Projection Screen
- LED Pocket Projector Companion Micro Screen



FEATURES & BENEFITS

- MiniFlip design accompanies Low Lumens Pocket LED Projectors for laptop presentations
- Compact design fits into a briefcase or laptop case
- Magnetic clasps allow a simple open/set-up procedure
- Adjustable Tilt Angle settings accommodate projector placement
- Award Winning StarBright™ 7 - Ultra High Gain 7.0 Screen Material to enhances picture clarity, contrast and image visibility in an environment with high levels of ambient light
- Available in 3 popular Diagonal sizes: 15" / 17.5" / 20" in 4:3 Aspect Ratio



MicroFlip Series: Fixed Frame Front Projection Screen for Entry Home Cinema Projector

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Fold Size (inch)
PB15G7	15" (4:3)	9.0	12.0	22.9	30.5	Yes	0.8	1.0	0.4	0.5	13x1x11	7.0	StarBright™ 7	12.4x10.7x0.5
PB17G7	17.5" (4:3)	10.5	14.0	26.7	35.6	Yes	1.0	1.2	0.5	0.6	15x1x12.6	7.0	StarBright™ 7	14.4x12.3x0.5
PB20G7	20" (4:3)	12.0	16.0	30.5	40.6	Yes	1.2	1.4	0.6	0.7	16x1x13.7	7.0	StarBright™ 7	16.4x13.4x0.5

MicroFlip Series Dimension Table

Model	Screen Diag. & Aspect Ratio	Overall Width (A)	Viewing Width (A1)	Overall Length (B)	View Height (B1)	Height at max. angle (B2)	Height at min. angle (B3)	B4	B5	C	C1	Depth (C)	Min. Angle (α)	Max. Angle (β)
PB15G7	15" (4:3)	315	305	546	229	248	271	272	160	118	118	6	65°	95°
PB17G7	17.5" (4:3)	366	356	624	267	283	311	312	190	128	128	6	65°	95°
PB20G7	20" (4:3)	416	406	680	305	308	339	340	190	156	156	6	65°	95°

Unit: mm

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"

Model	Screen Diag. & Aspect Ratio	Overall Width (A)	Viewing Width (A1)	Overall Length (B)	View Height (B1)	Height at max. angle (B2)	Height at min. angle (B3)	B4	B5	C	C1	Depth (C)	Min. Angle (α)	Max. Angle (β)
PB15G7	15" (4:3)	12.4	12.0	21.5	9.0	9.8	10.7	10.7	6.3	4.6	4.6	0.2	65°	95°
PB17G7	17.5" (4:3)	14.4	14.0	24.6	10.5	11.1	12.2	12.3	7.5	5.0	5.0	0.2	65°	95°
PB20G7	20" (4:3)	16.4	16.0	26.8	12.0	12.1	13.3	13.4	7.5	6.1	6.1	0.2	65°	95°

Unit: inch

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"

